



TOP SILVER

PRODUCT CATALOG



137 McArthur Highway Tuktukan
Guiguinto Bulacan

WWW.TOPSILVERPH.COM





STRUCTURAL STEEL

| DEFORMED BAR | DIAMETER (mm) | |
|--------------|---------------|------|
| | 5mm | 10mm |
| | 6mm | 12mm |
| | 7mm | 16mm |
| | 7.3mm | 20mm |
| | 8mm | 25mm |

| CHANNEL BAR | HEIGHT x WIDTH (inch) |
|-------------|-----------------------|
| | 2" x 3" |
| | 2" x 4" |
| | 2" x 5" |
| | 2" x 5.5" |
| | 2" x 8" |



| WIDE FLANGE / I-BEAM | WIDTH x HEIGHT | LENGTH (meter) |
|----------------------|----------------|----------------|
| | W 10 x 54 | 6 / 12 m |
| | W 12 x 120 | 6 / 12 m |
| | W 12 x 50 | 6 / 12 m |
| | W 12 x 58 | 6 / 12 m |
| | W 12 x 79 | 6 / 12 m |
| | W 14 x 120 | 6 / 12 m |
| | W 14 x 68 | 6 / 12 m |

| WIDE FLANGE / I-BEAM | WIDTH x HEIGHT | LENGTH (meter) |
|----------------------|----------------|----------------|
| | W 14 x74 | 6 / 12 m |
| | W 14 x 82 | 6 / 12 m |
| | W 14 x90 | 6 / 12 m |
| | W 14 x 99 | 6 / 12 m |
| | W 16 x 40 | 6 / 12 m |
| | W 16 x 50 | 6 / 12 m |
| | W 16 x 77 | 6 / 12 m |

| WIDE FLANGE / I-BEAM | WIDTH x HEIGHT | LENGTH (meter) |
|----------------------|----------------|----------------|
| | W 18 x 106 | 6 / 12 m |
| | W 18 x 158 | 6 / 12 m |
| | W 18 x 175 | 6 / 12 m |
| | W 18 x 76 | 6 / 12 m |
| | W 24 x 162 | 6 / 12 m |
| | W 8 x67 | 6 / 12 m |
| | W 14 x 34 | 6 / 12 m |



| B.I. STEEL MATTING | WIDTH x LENGTH (ft) | THICKNESS (mm) |
|--------------------|---------------------|----------------|
| | 4 x 8 | 3mm |
| | 4 x 8 | 3.2mm |
| | 4 x 8 | 2.8mm |
| | 4 x 8 | 3.9mm |
| | 4 x 8 | 4.5mm |

| B.I. STEEL MATTING | WIDTH x LENGTH (ft) | THICKNESS (mm) |
|--------------------|---------------------|----------------|
| | 6 x 20 | 2.8mm |
| | 6 x 20 | 3.0mm |
| | 6 x 20 | 3.2mm |
| | 6 x 20 | 4.4mm |



| G.I. STEEL MATTING | WIDTH x LENGTH (ft) | THICKNESS (gauge) |
|--------------------|---------------------|-------------------|
| | 4 x 8 | #6 |
| | 4 x 8 | #8 |



| ANGLE BAR | THICKNESS (mm) | WIDTH (inch) |
|-----------|----------------|--------------|
| | 2.0mm | 3/4" |
| | 2.0mm | 1" |
| | 2.0mm | 1 - 1/4" |
| | 2.0mm | 1 - 1/2" |
| | 2.5mm | 1" |
| | 2.5mm | 1 - 1/2" |
| | 2.5mm | 2" |
| | 3.0mm | 1" |
| | 3.0mm | 1 - 1/4" |
| | 3.0mm | 1 - 1/2" |
| | 3.0mm | 2" |
| | 3.5mm | 1" |
| | 3.5mm | 1 - 1/4" |
| | 3.5mm | 1 - 1/2" |
| | 3.5mm | 2" |

| ANGLE BAR | THICKNESS (mm) | WIDTH (inch) |
|-----------|----------------|--------------|
| | 3.5mm | 3" |
| | 4.0mm | 1" |
| | 4.0mm | 1 - 1/4" |
| | 4.0mm | 1 - 1/2" |
| | 4.0mm | 2" |
| | 4.0mm | 2 - 1/2" |
| | 4.0mm | 3" |
| | 4.5mm | 1 - 1/2" |
| | 4.5mm | 2" |
| | 4.5mm | 2 - 1/2" |
| | 4.5mm | 3" |
| | 5.0mm | 1" |
| | 5.0mm | 1 - 1/2" |
| | 5.0mm | 2" |
| | 5.0mm | 2 - 1/2" |

| ANGLE BAR | THICKNESS (mm) | WIDTH (inch) |
|-----------|----------------|--------------|
| | 5.0mm | 3" |
| | 5.5mm | 4" |
| | 6.0mm | 1 - 1/2" |
| | 6.0mm | 2" |
| | 6.0mm | 2 - 1/2" |
| | 6.0mm | 3" |
| | 6.0mm | 4" |
| | 8.0mm | 2" |
| | 8.0mm | 2 - 1/2" |
| | 8.0mm | 3" |
| | 8.0mm | 4" |
| | 9mm | 3" |
| | 9mm | 4" |
| | 10mm | 4" |
| | 12mm | 4" |





| FLAT BAR | THICKNESS (inch) | WIDTH (inch) |
|----------|------------------|--------------|
| | 1/8" | 3/8" |
| | 1/8" | 1/2" |
| | 1/8" | 5/8" |
| | 1/8" | 3/4" |
| | 1/8" | 1" |
| | 1/8" | 1 - 1/4" |
| | 1/8" | 1 - 1/2" |
| | 1/8" | 2" |
| | 3/16" | 1/2" |
| | 3/16" | 5/8" |
| | 3/16" | 3/4" |
| | 3/16" | 1" |
| | 3/16" | 1 - 1/4" |
| | 3/16" | 1 - 1/2" |
| | 3/16" | 2" |

| FLAT BAR | THICKNESS (inch) | WIDTH (inch) |
|----------|------------------|--------------|
| | 3/16" | 2 - 1/2" |
| | 3/16" | 3" |
| | 3/16" | 4" |
| | 1/4" | 1/2" |
| | 1/4" | 5/8" |
| | 1/4" | 3/4" |
| | 1/4" | 1" |
| | 1/4" | 1 - 1/4" |
| | 1/4" | 1 - 1/2" |
| | 1/4" | 2" |
| | 1/4" | 2 - 1/2" |
| | 1/4" | 3" |
| | 1/4" | 4" |
| | 3/8" | 1" |
| | 3/8" | 1 - 1/4" |

| FLAT BAR | THICKNESS (inch) | WIDTH (inch) |
|----------|------------------|--------------|
| | 3/8" | 1 - 1/2" |
| | 3/8" | 2" |
| | 3/8" | 2 - 1/2" |
| | 3/8" | 3" |
| | 1/2" | 1" |
| | 1/2" | 1 - 1/4" |
| | 1/2" x 1 - 1/2" | 1 - 1/2" |
| | 1/2" x 2" | 2" |
| | 1/2" x 2 - 1/2" | 2 - 1/2" |
| | 1/2" x 3" | 3" |








| SHEET PILE | LENGTH (meter) | WEIGHT (kg) | GI C-PURLIN | WIDTH x LENGTH (foot) |
|---|----------------|-------------|---|-----------------------|
|  | 6m | 288kg |  | 2 x 3 |
| | 12m | 576kg | | 2 x 4 |
| | | | | 2 x 6 |

CEILING ASSEMBLIES

| | | | | | |
|---|---|---|---|---|---|
|  |  |  |  |  |  |
| Double Furring | Carrying Channel | Wall Angle | Wall Clip Stud | Metal Studs | Metal Track |


PIPES AND TUBES



| GI PIPE | SIZE (schedule) | DIAMETER (inch) | SIZE (schedule) | DIAMETER (inch) | BI PIPE | SIZE (schedule) | DIAMETER (inch) | SIZE (schedule) | DIAMETER (inch) |
|--|-----------------|-----------------|-----------------|-----------------|---|-----------------|-----------------|-----------------|-----------------|
|  | Sch 20 | 1/2" | Sch 40 | 3/8" |  | Sch 20 | 1/2" | Sch 40 | 1/2" |
| | | 3/4" | | 1/2" | | | 3/4" | | |
| | | 1" | | 3/4" | | | 1" | | |
| | | 1 - 1/4" | | 1 - 1/4" | | | 1 - 1/4" | | |
| | | 1 - 1/2" | | 1 - 1/2" | | | 1 - 1/2" | | |
| | | 2" | | 2" | | | 2" | | |
| | | 2 - 1/2" | | 2 - 1/2" | | | 2 - 1/2" | | |
| | | 3" | | 3" | | | 3" | | |
| 4" | 4" | 4" | | | | | | | |

| GI TUBING | HEIGHT x WIDTH (inch) | THICKNESS (mm) | HEIGHT x WIDTH (inch) | THICKNESS (mm) | HEIGHT x WIDTH (inch) | THICKNESS (mm) | HEIGHT x WIDTH (inch) | THICKNESS (mm) | HEIGHT x WIDTH (inch) | THICKNESS (mm) |
|---|-----------------------|----------------|-----------------------|----------------|-----------------------|----------------|-----------------------|----------------|-----------------------|----------------|
|  | 3/4" | 0.9mm | 1" x 1" | 0.9mm | 1-1/2" x 1-1/2" | 0.9mm | 1" x 2" | 0.9mm | 1" x 3" | 0.9mm |
| | | 1.2mm | | 1.2mm | | 1.2mm | | 1.2mm | | |
| | 2" x 2" | 0.9mm | 2" x 3" | 0.9mm | 2" x 4" | 0.9mm | 2" x 6" | 1.5mm | 4" x 4" | 2.0mm |
| | | 1.2mm | | 1.2mm | | 1.2mm | | 2.0mm | | |

SHEETS, BOARDS AND PLATES


| MS PLATE | THICKNESS (mm) | THICKNESS (mm) | THICKNESS (mm) | CHECKERED PLATE | THICKNESS (mm) | GI CORRUGATED SHEET | THICKNESS (mm) |
|---|----------------|----------------|----------------|---|----------------|---|----------------|
|  | 1.8mm | 3.5mm | 5.5mm |  | 2mm |  | 0.4mm |
| | 2mm | 3.9mm | 6mm | | 2.5mm | | 0.5mm |
| | 2.5mm | 4mm | 8mm | | 3mm | | 0.22mm |
| | 2.7mm | 4.5mm | 10mm | | 3.5mm | | 0.34mm |
| | 3mm | 5mm | 12mm | | 4.5mm | | 0.30mm |


| GI PLAIN SHEET | WIDTH x LENGTH (foot) | THICKNESS (mm) | WIDTH x LENGTH (foot) | THICKNESS (mm) | WIDTH x LENGTH (foot) | THICKNESS (mm) | WIDTH x LENGTH (foot) | THICKNESS (mm) |
|---|-----------------------|----------------|-----------------------|----------------|-----------------------|----------------|-----------------------|----------------|
|  | 3x4 | 0.40mm | 3x4 | 0.2mm | 3x4 | 0.7mm | 3x4 | 1.3mm |
| | | | | 0.3mm | | 0.8mm | | 1.4mm |
| | | 0.4mm | | 0.9mm | | 1.5mm | | |
| | | 0.45mm | | 1.0mm | | | | |
| | | 0.5mm | | 1.1mm | | | | |

| WOODEN BOARD PLYWOOD 4X8 | THICKNESS (inch) | WOOD & PARTICLE BOARD LAWANIT 4X8 | THICKNESS (inch) | THICKNESS (inch) |
|---|------------------|---|------------------------------|------------------|
|  | 1/8 |  | Phenolic 3/8 | Plyboard 1/2 |
| | 3/16 | | Phenolic 1/2 | Plyboard 3/4 |
| | 1/4 | | Phenolic 1/2 | Marine 1/4 |
| | 3/8 | | Phenolic 5/8 | Marine 1/2 |
| | 1/2 | | Phenolic 3/4 | Marine 3/4 |
| | 3/4 | | Particle Board (Lawanit) 1/8 | Marine 3/4 |






| FIBER CEMENT BOARD | WIDTH x LENGTH (foot) |
|---|-----------------------|
|  | 4 x 8 |


















| GYPSUM BOARD | WIDTH x LENGTH (foot) |
|--|-----------------------|
|  | 4 x 8 |



SCAFFOLDING

| G.I. SCAFFOLDING PIPE | DIAMETER (inch) | WEIGHT (kg) |
|---|-----------------|-------------|
|  | 1 1/2" | 8.5kg |
| | | 9kg |
| | | 10.5kg |

FORMWORKS AND FITTINGS

| | | | | | |
|---|--|--|--|---|--|
|  Catwalk |  Crossbrace |  Joint Pin A |  Joint Pin B |  Swivel Clamp |  Fixed Clamp |
|  Fixed Forged Clamp |  Swivel Forged Clamp |  U-Head Jack |  Base Jack |  Shoring Jack |  Shoring Plate |
|  Tie Rod |  Wing Nut / Flange Nut |  Aluma Beam |  Aluma Clamp |  H - Frame | |



CONSTRUCTION SUPPLIES

WELDING ROD



NAILS



Common Wire Nail



Roofing Nail



Concrete Nail

WIRES




Cyclone Wire



G.I. Wire



Barbed Wire



Hog Wire




Combat Wire

CEMENT







STEEL CONDUIT


| G.I. STEEL FLEXIBLE CONDUIT | SIZE | INSIDE DIAMETER | WALL THICKNESS | LENGTH |
|---|--------|-----------------|----------------|--------|
|  | 1/2" | 16.5mm | 0.18mm | 30m |
| | 3/4" | 20mm | 0.20mm | 30m |
| | 1" | 25mm | 0.22mm | 30m |
| | 1-1/4" | 32mm | 0.25mm | 30m |
| | 1-1/2" | 38mm | 0.25mm | 30m |
| | 2" | 51mm | 0.35mm | 30m |
| | 2-1/2" | 64mm | 0.50mm | 30m |
| | 3" | 75mm | 0.50mm | 30m |
| | 4" | 100mm | 0.60mm | 30m |


LIQUID TIGHT STEEL FLEXIBLE CONDUIT


| SOFT | SIZE | INSIDE DIAMETER | WALL THICKNESS | LENGTH |
|--|--------|-----------------|----------------|------------|
|  | 1/2" | 16.5mm | 0.18mm | 50m / 100m |
| | 3/4" | 20mm | 0.20mm | 50m / 100m |
| | 1" | 25mm | 0.22mm | 50m / 100m |
| | 1-1/4" | 35mm | 0.25mm | 50m / 100m |
| | 1-1/2" | 40mm | 0.25mm | 50m / 100m |
| | 2" | 51mm | 0.35mm | 50m / 100m |
| | 2-1/2" | 64mm | 0.50mm | 50m / 100m |
| | 3" | 78mm | 0.50mm | 50m / 100m |
| | 4" | 103mm | 0.60mm | 50m / 100m |
| HARD | SIZE | INSIDE DIAMETER | WALL THICKNESS | LENGTH |
|  | 1/2" | 16.5mm | 0.22mm | 50m / 100m |
| | 3/4" | 21mm | 0.25mm | 50m / 100m |
| | 1" | 26mm | 0.25mm | 50m / 100m |
| | 1-1/4" | 35mm | 0.30mm | 50m / 100m |
| | 1-1/2" | 40mm | 0.30mm | 50m / 100m |
| | 2" | 51mm | 0.30mm | 50m / 100m |
| | 2-1/2" | 64mm | 0.45mm | 50m / 100m |
| | 3" | 78mm | 0.45mm | 50m / 100m |
| | 4" | 101mm | 0.50mm | 50m / 100m |


| EMT PIPE | SIZE | OUTSIDE DIAMETER | WALL THICKNESS | LENGTH |
|---|--------|------------------|----------------|--------|
|  | 1/2" | 17.93mm | 0.80mm | 3.0m |
| | 3/4" | 23.42mm | 1.95mm | 3.0m |
| | 1" | 29.54mm | 1.05mm | 3.0m |
| | 1-1/4" | 38.40mm | 1.25mm | 3.0m |
| | 1-1/2" | 44.20mm | 1.25mm | 3.0m |
| | 2" | 55.80mm | 1.35mm | 3.0m |
| | 2-1/2" | 73.03mm | 1.70mm | 3.0m |
| | 3" | 88.90mm | 1.80mm | 3.0m |
| | 4" | 114.30mm | 2.00mm | 3.0m |

| IMC PIPE | SIZE | OUTSIDE DIAMETER | WALL THICKNESS | LENGTH |
|---|--------|------------------|----------------|--------|
|  | 1/2" | 20.70mm | 1.70mm | 3.0m |
| | 3/4" | 26.10mm | 1.80mm | 3.0m |
| | 1" | 32.80mm | 2.00mm | 3.0m |
| | 1-1/4" | 41.60mm | 2.00mm | 3.0m |
| | 1-1/2" | 47.80mm | 2.10mm | 3.0m |
| | 2" | 59.90mm | 2.30mm | 3.0m |
| | 2-1/2" | 72.60mm | 3.00mm | 3.0m |
| | 3" | 88.30mm | 3.30mm | 3.0m |
| | 4" | 113.40mm | 3.30mm | 3.0m |

| EMT ELBOW | SIZE |
|---|--------|
|  | 1/2" |
| | 3/4" |
| | 1" |
| | 1-1/4" |
| | 1-1/2" |
| | 2" |
| | 2-1/2" |
| | 3" |
| | 4" |

| IMC ELBOW | SIZE |
|---|--------|
|  | 1/2" |
| | 3/4" |
| | 1" |
| | 1-1/4" |
| | 1-1/2" |
| | 2" |
| | 2-1/2" |
| | 3" |
| | 4" |

| PLAIN / STROTTED STRUT SUPPORT CHANNEL | SIZE | WALL THICKNESS | LENGTH |
|---|------------------------------|----------------|--------|
|  | 1-5/8" x 1-5/8" (41 x 41 mm) | 1.5mm | 3m |
| | 1-5/8" x 13/16" (41 x 21 mm) | 1.5mm | 3m |


| THREADED ROD | SIZE | LENGTH |
|---|-------|--------|
|  | 1/4" | 3m |
| | 5/16" | 3m |
| | 3/8" | 3m |
| | 1/2" | 3m |
| | 5/8" | 3m |





CONDUIT ACCESSORIES AND FITTINGS

Channel Nut with Spring




| SIZES |
|-----------|
| M6x6" |
| M8x8" |
| M10x9.2" |
| M12x11.8" |

Waterproof Boxes (Two Gang TGB 5-Hole)




| SIZES |
|-------|
| 1/2" |
| 3/4" |

Waterproof Boxes (Two Gang TGB 3-Hole)



| SIZES |
|-------|
| 1/2" |
| 3/4" |

Conduit Boxes (Square)




| SIZES |
|------------------------------------|
| G16 4x4 Square Box / Cover Imm |
| G16 4-11/16 Square Box / Cover Imm |

Conduit Boxes (Octagon)



| SIZES |
|---------------------------------|
| G16 4x4 Octagon Box / Cover Imm |

Conduit Boxes (Rectangular)




| SIZES |
|-------------------------------------|
| G16 4x4 Rectangular Box / Cover Imm |

Grip Angle Connector




| SIZES |
|-------|
| 1/4" |
| 3/8" |
| 1/2" |

Flexible Angle Connector



| SIZES |
|--------|
| 1/2" |
| 3/4" |
| 1" |
| 1-1/4" |
| 1-1/2" |
| 2" |

Flexible Straight Connector



| SIZES |
|--------|
| 1/2" |
| 3/4" |
| 1" |
| 1-1/4" |
| 1-1/2" |
| 2" |

Liquid Tight Connector




| SIZES |
|--------|
| 1/2" |
| 3/4" |
| 1" |
| 1-1/4" |
| 1-1/2" |
| 2" |

Liquid Tight Connector / 90 Degree Angle




| SIZES |
|--------|
| 1/2" |
| 3/4" |
| 1" |
| 1-1/4" |
| 1-1/2" |
| 2" |

Squeeze Connector




| SIZES |
|--------|
| 1/2" |
| 3/4" |
| 1" |
| 1-1/4" |
| 1-1/2" |
| 2" |

ETF (EMT to Flexible Connector)




| SIZES |
|--------|
| 1/2" |
| 3/4" |
| 1" |
| 1-1/4" |
| 1-1/2" |
| 2" |

EMT Connector Screw Type




| SIZES |
|--------|
| 1/2" |
| 3/4" |
| 1" |
| 1-1/4" |
| 1-1/2" |
| 2" |

EMT Coupling Screw Type




| SIZES |
|--------|
| 1/2" |
| 3/4" |
| 1" |
| 1-1/4" |
| 1-1/2" |
| 2" |

EMT Connector Compression Type



| SIZES |
|--------|
| 1/2" |
| 3/4" |
| 1" |
| 1-1/4" |
| 1-1/2" |
| 2" |

EMT Coupling Compression Type



| SIZES |
|--------|
| 1/2" |
| 3/4" |
| 1" |
| 1-1/4" |
| 1-1/2" |
| 2" |

One Hole Clamp




| SIZES |
|--------|
| 1/2" |
| 3/4" |
| 1" |
| 1-1/4" |
| 1-1/2" |
| 2" |

Two Hole Clamp




| SIZES |
|--------|
| 1/2" |
| 3/4" |
| 1" |
| 1-1/4" |
| 1-1/2" |
| 2" |

IMC Coupling



| SIZES |
|--------|
| 1/2" |
| 3/4" |
| 1" |
| 1-1/4" |
| 1-1/2" |
| 2" |

Locknut




| SIZES |
|--------|
| 1/2" |
| 3/4" |
| 1" |
| 1-1/4" |
| 1-1/2" |
| 2" |







CONDUIT ACCESSORIES AND FITTINGS


| Metallic Bushing | |
|---|--------|
|  | SIZES |
| | 1/2" |
| | 3/4" |
| | 1" |
| | 1-1/4" |
| | 1-1/2" |
| | 2" |

| Conduit Hanger | |
|---|--------|
|  | SIZES |
| | 1/2" |
| | 3/4" |
| | 1" |
| | 1-1/4" |
| | 1-1/2" |
| | 2" |


| Loop Hanger | |
|---|--------|
|  | SIZES |
| | 1/2" |
| | 3/4" |
| | 1" |
| | 1-1/4" |
| | 1-1/2" |
| | 2" |


| Strut Clamp | |
|---|--------|
|  | SIZES |
| | 1/2" |
| | 3/4" |
| | 1" |
| | 1-1/4" |
| | 1-1/2" |
| | 2" |

| Entrance Cap Thread / Entrance Cap Clamp | |
|---|--------|
|  | SIZES |
| | 1/2" |
| | 3/4" |
| | 1" |
| | 1-1/4" |
| | 1-1/2" |
| | 2" |

| Threaded Conduit Body LB | |
|---|--------|
|  | SIZES |
| | 1/2" |
| | 3/4" |
| | 1" |
| | 1-1/4" |
| | 1-1/2" |
| | 2" |

| Threaded Conduit Body LR | |
|--|--------|
|  | SIZES |
| | 1/2" |
| | 3/4" |
| | 1" |
| | 1-1/4" |
| | 1-1/2" |
| | 2" |





| Threaded Conduit Body LL | |
|--|--------|
|  | SIZES |
| | 1/2" |
| | 3/4" |
| | 1" |
| | 1-1/4" |
| | 1-1/2" |
| | 2" |

| Threaded Conduit Body C | |
|---|--------|
|  | SIZES |
| | 1/2" |
| | 3/4" |
| | 1" |
| | 1-1/4" |
| | 1-1/2" |
| | 2" |

| Threaded Conduit Body T | |
|---|--------|
|  | SIZES |
| | 1/2" |
| | 3/4" |
| | 1" |
| | 1-1/4" |
| | 1-1/2" |
| | 2" |



TOP SILVER

-  topsilverph@gmail.com
-  +6392 3820 9624 - Sun
-  +6397 6073 1086 - Globe
-  137 McArthur Highway Tuktukan
Guiguinto Bulacan





TOP SILVER

Product Catalog | © Copyright 2023

WWW.TOPSILVERPH.COM